


USED ON 1716, 1719, 2716, 2719 PUMP HOISTS AND 1735, 1736, 1765, 1704, 83274 PRESSURE PRIMERS




*Used to adapt 1/2" NPTF(M) on hose to 3/4" NPTF(F) thread, if required.



84144 INSTALLED ON 1704 AND 83274 PRESSURE PRIMER

Assembly is fastened to the two tie rod ends of the pressure primer air cylinder with two 51001 nuts.

Kit parts not used on this installation: 50037, 50055(2), 67007, 241472




*Used to adapt 1/2" NPTF(M) on hose to 3/4" NPTF(F) thread, if required.



84144 INSTALLED ON 1735,1736, OR 1765 PRESSURE PRIMER

Assembly is fastened to the top of the channel of the pressure primer with the 68906 screw and one tie rod nut which is part of he pressure primer.

Kit parts not used on this installation: 50055(2), 51001(2), 67007, 12614, 12615



© Indicates change



SERVICE PARTS	
Qty.	Description
2	Bushing
1	Hose Stud
1	Coupling Nut
1	Screw
2	Nut
4	Nut
1	Adapter Union
1	Adapter Union
1	Pipe Plug
1	Bushing
2	Street Elbow
1	Screw, Self-Tapping
1	Air Hose
1	Air Hose
3	Quick Clamp
1	Porting Block
2	Quick Clamp Bracket
1	Pressure Gauge
1	Mounting Bracket
4	Screw
1	Air Regulator
1	Air Filter
1	Air Lubricator
1	Air Nipple
1	Air Coupler
	Qty. 2 1 1 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1

©

SERVICE PARTS

© Indicates change

- RETAIN THIS INFORMATION FOR FUTURE REFERENCE -

When ordering replacement parts, list: Part Number, Description, Model Number and Series Letter. LINCOLN provides a Distributor Network that stocks equipment and replacement parts.

Americas: One Lincoln Way St. Louis, MO 63120-1578 USA Phone +1.314.679.4200 Fax +1.800.424.5359 Europe/Africa: Heinrich-Hertz-Str 2-8 D-69183 Walldorf Germany Phone +49.6227.33.0 Fax +49.6227.33.259 Asia/Pacific: 25 Int'l Business Park #01-65 German Centre Singapore 609916 Phone +65.562.7960 Fax +65.562.9967

© Copyright 2003 Printed in USA

Web site: www.lincolnindustrial.com